

ANDHRA PRADESH LEGISLATIVE COUNCIL

SESSION :6

Rule 54(SNQ) No.18-X.

By Sri.
Cherupally Seetha
Ramulu, MLC.,

THE MINISTER FOR MAJOR AND MEDIUM IRRIGATION BE PLEASED TO
STATE:

QUESTION

- a) whether it is a fact that the G.V.R. Company which has submitted tenders for the works of Dindi Balancing Reservoir is not showing interest to reach an agreement with the Government; and
- b) if so, the reasons therefor ?

ANSWER

- a) i) The Superintending Engineer, AMR SLBC Project, Circle No.I, G.V.Gudem, Nalgonda has addressed the EPC agency M/s GVV-VSM-GVR (JV) vide his letter dt.23.10.2008 to conclude the agreement on or before 6.11.2008.
- ii) In response to the Superintending Engineer's letter, the agency has requested to extend the Tender validity for one month i.e., up to 28.11.2008 vide his letter dt.5.11.2008.
- iii) The Superintending Engineer is permitted by this office vide memo dt.12.11.2008 to grant one month period i.e., upto 28.11.2008 to the agency for concluding Agreement.
- iv) The agency has again requested for further period of extension up to 15.12.2008.
- b) Does not arise.

(THE ABOVE ANSWER HAS BEEN APPROVED BY THE HON'BLE
MINISTER FOR MAJOR & MEDIUM IRRIGATION)

for SECRETARY TO GOVERNMENT.

To

The Andhra Pradesh Legislative Council.(200 copies)

Copy to:

The P.S. to Minister (Major &Medium Irrigation).

The Spl. Secretary to CM(6 Copies along with a note for
supplementaries)

The P.S. to Secretary (AD), I & CAD Dept.

The P.A. to Addl. Secretary(CC), I & CAD Dept.
The I & CAD (PW.Genl) Dept.
The General Administration (LC) Department.
The Deputy Director of Translations, Secretariat Branch,
Hyderabad.

P.T.O.,

:: 2 ::

The Engineer-in-Chief(Irrigation), I & CAD Deptt., Errum Manzil,
Hyd.
The C.E., NSRSSP., 6th Floor, Gaganvihar, M.J.Road, Hyderabad.
SF/SC.

I&CAD(MAJ.IRR.III) DEPTT., U.O.NOTE
No.32895/Maj.Irrgn.III/A1/2008-2, Dated:31-12-2008.